

Commercial
Refrigeration Product
Catalogue

2024-2025



www.klimasan.com.tr

Refreshing your world since

1969



Metalfrío at a glance

since 1969


50+ Years of
refreshing the World

KLIMASAN



Metalfrío Solutions

Global experience
in commercial
plug-in cooling industry



4 Refurbishment Centers

Brazil: Vitoria de Santo Antão

Brazil: São Paolo

Mexico: Celaya

Turkey: Manisa

4 Factories in 2 continents

Brazil: Três Lagoas

Mexico: Celaya

Turkey: Manisa

Russia: Kaliningrad



7 Sales Offices Worldwide

Brazil: São Paulo • **Bolivia:** La Paz • **Argentina:** Buenos Aires

Mexico: Celaya • **USA:** San Antonio • **Turkey:** Istanbul • **Poland:** Warsaw



Active sales to
more than
100 countries



The largest
R&D Team in
industry



Very rich product
range of 150+
vertical & horizontal
models



R&D center and
labs accredited by
global beverage
and beer brands




8 different product
categories designed
and suitable for different
climate & geography
requirements



Please contact us at

export@klimasan.com.tr



*The Cool Partner
Worldwide*





50+

years refreshing the world with refrigeration solutions

Klimasan is providing commercial refrigerators as a strategic partner to worldwide brands since 1969. This added value is also empowered with Metalfrío | Solutions via:



4 Factories



7 Regional Sales Office



Exporting to 100+ Countries



Strategic Partner of 700+ Brands



4 Refurbishment Centers



KLIMASAN



Metalfrío | Solutions



*The Cool Partner
Worldwide*



VERTICAL COOLERS

Vertical models are the most preferred innovative cooling solutions provided by Klimasan worldwide. The units designed with global expertise provide both high quality components and effective refrigeration performance.

The **illumination** brings the beverages in the spotlight as well as the brand. The impact of the vertical coolers with glass doors create an impulse on target customers and maximize merchandising possibilities for all our customers.

The adjustable **shelving** options help customers to accommodate the wider range of beverages and help to increase product visibility.

When units are equipped with **re-branding** options like stickers, shelves and other parts of the unit; the awareness of your brand is improved as well as your cooler's branded impact.

The optimum size options offer a wide range of models with so many applicable possibilities on the field, Klimasan vertical cooler models fulfill the needs of retail sales points.

SINGLE DOOR SOLUTIONS

BEVERAGE COOLERS 



S240



S240 WOC



S240 WOC M4
with control panel

DIMENSIONS

	S240	S240 WOC
External (w x d x h) (mm)	595 x 650 x 1500	595 x 614 x 1320
Internal (w x d x h) (mm)	490 x 453 x 1070	490 x 453 x 1070
Usable / Gross Volume (lt)	242 / 257	242 / 257

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	7/7	7/7
Loading (330 ml can / 500 ml bottle)	335 / 151	335 / 151
Number of Shelves	3	3

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	59 / 65	60 / 66
Container 20'	27	27
Container 40 HC'	57	57
Truck 13,6 m	80	80

Features/Options



Durable
Sheet Metal
Body



Compact
Design



Dynamic
Cooling



Tempered
Glass




Eco-Friendly
Design



Electronic
Thermostat



Reversible
Door



Door
Handle



High Resolution
Printing Quality
for Stickers

SINGLE DOOR SOLUTIONS



DIMENSIONS

	S320 WOC	S225	S225 WOC	S288
External (w x d x h) (mm)	450 x 656 x 2024	450 x 497 x 2024	450 x 497 x 1881	515 x 676 x 1700
Internal (w x d x h) (mm)	374 x 551 x 1584	374 x 388 x 1408	374 x 388 x 1441	415 x 493 x 1235
Usable / Gross Volume (lt)	314 / 348	219 / 232	203 / 221	257 / 265

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	5 / 5	5 / 5	5 / 5	6 / 6
Loading (330 ml can / 500 ml bottle)	432 / 180	285 / 130	260 / 130	378 / 189
Number of Shelves	5	4	4	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2	CC2
Refrigerant	R290 / R600a	R600a	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	94 / 101	82 / 88	72 / 78	84 / 91
Container 20'	40	48	48	35
Container 40 HC'	76	100	100	71
Truck 13,6 m	95	124	124	81

Features/Options



Durable Sheet
Metal Body
(S225 and
S225 WOC)



Compact Design
(S320 WOC
and S225)



Adjustable
Feet
/Rollers



Tempered
Glass




Eco-Friendly
Design



Electronic
Thermostat



Reversible
Door



Door
Handle



High
Resolution
Printing
Quality for
Stickers



LED
Illumination

Please see page 34 for available options regarding further customization.

SINGLE DOOR SOLUTIONS

BEVERAGE COOLERS 

D372 M4
with control
panel



**MOST
POPULAR
DESIGN**



D372 (M4C)



D372 WOC

**ECONOMIC
DESIGN**



D372 WOC LEAN ECO



D390

DIMENSIONS

	D372 (M4C)	D372 WOC	D372 WOC LEAN ECO	D390
External (w x d x h) (mm)	595 x 650 x 2000	595 x 614 x 1803	595 x 614 x 1803	595 x 614 x 2005
Internal (w x d x h) (mm)	490 x 447 x 1557	490 x 447 x 1557	490 x 447 x 1557	507 x 446 x 1761
Usable / Gross Volume (lt)	360 / 382	360 / 382	360 / 382	403 / 428

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	7 / 7	7 / 7	7 / 7	7 / 7
Loading (330 ml can / 500 ml bottle)	467 / 217	467 / 217	467 / 217	565 / 289
Number of Shelves	5	5	5	6

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2	CC2
Refrigerant	R134a / R600a	R134a / R600a	R134a / R600a	R600a


TRANSPORTATION

Net / Weight with Package (kg)	71,5 / 81	67 / 75	67 / 75	102 / 111
Container 20'	27	27	27	27
Container 40 HC'	57	57	57	57
Truck 13,6 m	80	80	80	80

Features/Options



Durable Sheet Metal Body (D 372 M4C, D 372 WOC and D 390)



Compact Design



Adjustable Feet /Rollers



Eco-Friendly Design



Electronic Thermostat



Shelf Price Tag Holder



Door Lock



Door Handle




High Resolution Printing Quality for Stickers



LED Illumination

SINGLE DOOR SOLUTIONS



DIMENSIONS

	D418	D418 WOC
External (w x d x h) (mm)	595 x 695 x 2125	595 x 661 x 1955
Internal (w x d x h) (mm)	497 x 533 x 1552	497 x 533 x 1552
Usable / Gross Volume (lt)	430 / 448	430 / 448

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	7 / 7	7 / 7
Loading (330 ml can / 500 ml bottle)	665 / 329	665 / 329
Number of Shelves	5	5


REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R134a / R600a / R290	R134a / R600a / R290

TRANSPORTATION

Net / Weight with Package (kg)	84 / 92	77 / 84
Container 20'	27	27
Container 40 HC'	57	57
Truck 13,6 m	72	72

Features/Options

								
Durable Sheet Metal Body	Compact Design	Adjustable Feet / Rollers	Eco-Friendly Design	Electronic Thermostat	Shelf Price Tag Holder	Door Lock	High Resolution Printing Quality for Stickers	LED Illumination

SINGLE DOOR SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	SC505	SC505 TF
External (w x d x h) (mm)	695 x 615 x 1996	720 x 623 x 1996
Internal (w x d x h) (mm)	615 x 468 x 1363	615 x 439 x 1359
Usable / Gross Volume (lt)	418 / 468	380 / 403

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	9 / 9	9 / 9
Loading (330 ml can / 500 ml bottle)	608 / 304	501 / 243
Number of Shelves	5	5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R134a / R600a	R134a / R600a

TRANSPORTATION

Net / Weight with Package (kg)	96 / 105	92 / 100
Container 20'	24	24
Container 40 HC'	54	54
Truck 13,6 m	60	60

Features/Options




Durable
Sheet Metal
Body



Dynamic
Cooling



Tempered
Glass



Door
Handle



Eco-Friendly
Design



Electronic
Thermostat



Reversible
Door



Shelf Price
Tag Holder



High
Resolution
Printing
Quality for
Stickers



LED
Illumination

SINGLE DOOR SOLUTIONS



DIMENSIONS

	S520	S520 WOC
External (w x d x h) (mm)	680 x 652 x 2130	680 x 652 x 2136
Internal (w x d x h) (mm)	575 x 500 x 1490	575 x 500 x 1675
Usable / Gross Volume (lt)	456 / 494	467 / 519

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	8 / 8	8 / 8
Loading (330 ml can / 500 ml bottle)	684 / 344	684 / 344
Number of Shelves	5	5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	110 / 116	119 / 125
Container 20'	29	24
Container 40 HC'	49	49
Truck 13,6 m	57	57

Features/Options



Durable
Sheet Metal
Body



Adjustable
Feet
/ Rollers



Eco-Friendly
Design



Electronic
Thermostat



Shelf Price
Tag Holder



Door
Lock



High Resolution
Printing Quality
for Stickers



LED
Illumination

SINGLE DOOR SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	SC600	SC600 HG
External (w x d x h) (mm)	695 x 754 x 1997	695 x 754 x 2201
Internal (w x d x h) (mm)	615 x 608 x 1363	615 x 608 x 1570
Usable / Gross Volume (lt)	544 / 597	582 / 612

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	9 / 9	9 / 9
Loading (330 ml can / 500 ml bottle)	768 / 381	915 / 453
Number of Shelves	5	5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R134a / R290	R134a / R290

TRANSPORTATION

Net / Weight with Package (kg)	108 / 115	119 / 130
Container 20'	24	24
Container 40 HC'	48	47
Truck 13,6 m	54	54

Features/Options



Durable
Sheet Metal
Body



Reversible
Door



Dynamic
Cooling



Tempered
Glass




Eco-Friendly
Design



Electronic
Thermostat



Shelf Price
Tag Holder



Door
Handle



High
Resolution
Printing
Quality for
Stickers



LED
Illumination

SINGLE DOOR SOLUTIONS



DIMENSIONS

	S770	S770 WOC
External (w x d x h) (mm)	800 x 740 x 2125	800 x 700 x 2130
Internal (w x d x h) (mm)	720 x 576 x 1520	720 x 576 x 1685
Usable / Gross Volume (lt)	665 / 715	678 / 728

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	10 / 10	10 / 10
Loading (330 ml can / 500 ml bottle)	978 / 489	978 / 489
Number of Shelves	5	5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R134a / R290 / R600a	R134a / R290 / R600a

TRANSPORTATION

Net / Weight with Package (kg)	130 / 138	128 / 136
Container 20'	21	21
Container 40 HC'	42	42
Truck 13,6 m	50	50

Features/Options



Durable
Sheet Metal
Body



Reversible
Door



Dynamic
Cooling




Tempered
Glass



Eco-Friendly
Design



Electronic
Thermostat



Door
Handle



High Resolution
Printing Quality
for Stickers



LED
Illumination

SINGLE DOOR SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	COOL 600	COOL 700	COOL 700 WOC
External (w x d x h) (mm)	664 x 764 x 2090	749 x 764 x 2090	749 x 768 x 2098
Internal (w x d x h) (mm)	575 x 612 x 1720	673 x 612 x 1707	673 x 612 x 1874
Usable / Gross Volume (lt)	583/ 631	695 / 741	705 / 750

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	8 / 8	10 / 10	10 / 10
Loading (330 ml can / 500 ml bottle)	720 / 360	956 / 478	1042 / 478
Number of Shelves	5	5	5

REFRIGERATION SYSTEM

Temperature Range	+1/ +9 °C	+1/ +9 °C	+1/ +9 °C
Ambient Condition	CC2	CC2	CC2
Refrigerant	R290	R290	R290

TRANSPORTATION

Net / Weight with Package (kg)	120 / 131	132 / 143	135 / 144
Container 20'	23	21	21
Container 40 HC'	49	45	45
Truck 13,6 m	57	51	51

Features/Options

									
Durable Sheet Metal Body	Dynamic Cooling	Tempered Glass	Shelf Price Tag Holder	Door Handle	Eco-Friendly Design	Electronic Thermostat	Reversible Door	High Resolution Printing Quality for Stickers	LED Illumination



SINGLE DOOR TROPICAL MARKET COOLER SOLUTIONS

Inova series models are specially developed for hot/humid weather conditions.

INOVA 288



INOVA 420



DIMENSIONS

	INOVA 288	INOVA 420
External (w x d x h) (mm)	515 x 631 x 1700	580 x 656 x 2073
Internal (w x d x h) (mm)	415 x 518 x 1235	480 x 503 x 1422
Usable / Gross Volume (lt)	249 / 265	359 / 392

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	6 / 6	7 / 7
Loading (330 ml can / 500 ml bottle)	351 / 159	460 / 230
Number of Shelves	4	5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	C / D	C / D
Refrigerant	R134a / R600a	R134a / R290 / R600a

TRANSPORTATION

Net / Weight with Package (kg)	84 / 91	110 / 122
Container 20'	36	27
Container 40 HC'	74	60
Truck 13,6 m	90	80

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Adjustable
Feet
/ Rollers



Eco-Friendly
Design



Shelf Price
Tag Holder



Door
Lock




High Resolution
Printing Quality
for Stickers



LED
Illumination

SINGLE DOOR TROPICAL MARKET COOLER SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	INOVA 520	INOVA 650
External (w x d x h) (mm)	680 x 652 x 2130	725 x 790 x 2076
Internal (w x d x h) (mm)	575 x 500 x 1490	624 x 636 x 1445
Usable / Gross Volume (lt)	456 / 494	597 / 646

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	8 / 8	9 / 9
Loading (330 ml can / 500 ml bottle)	684 / 344	782 / 414
Number of Shelves	5	5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	C / D	C / D
Refrigerant	R290 / R600a	R134a / R290 / R600a

TRANSPORTATION

Net / Weight with Package (kg)	115 / 125	151 / 161
Container 20'	24	21
Container 40 HC'	49	44
Truck 13,6 m	57	52

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Adjustable
Feet
/Rollers



Eco-Friendly
Design



Shelf Price
Tag Holder



Door
Lock



High Resolution
Printing Quality
for Stickers



LED
Illumination



 **RUNS**
-3,5/+1 °C

SINGLE DOOR SUPER SUBZERO SOLUTIONS

for SUPER COLD BEER
and BEVERAGES

INOVA **288** SZ



INOVA **420** SZ



DIMENSIONS

	INOVA 288 SZ	INOVA 420 SZ
External (w x d x h) (mm)	515 x 631 x 1700	580 x 656 x 2073
Internal (w x d x h) (mm)	415 x 518 x 1235	480 x 503 x 1404
Usable / Gross Volume (lt)	249 / 265	355 / 392

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	6 / 6	7 / 7
Loading (330 ml can / 500 ml bottle)	318 / 159	460 / 230
Number of Shelves	4	5

REFRIGERATION SYSTEM

Temperature Range	-3,5 / +1 °C	-3,5 / +1 °C
Ambient Condition	C+	C+
Refrigerant	R290	R290

TRANSPORTATION

Net / Weight with Package (kg)	84 / 91	110 / 122
Container 20'	36	27
Container 40 HC'	74	60
Truck 13,6 m	90	80

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Adjustable
Feet
/Rollers



Eco-Friendly
Design



Shelf Price
Tag Holder



Door
Lock



High Resolution
Printing Quality
for Stickers




LED
Illumination

SINGLE DOOR

SUPER SUBZERO SOLUTIONS

for SUPER COLD BEER and BEVERAGES

BEER COOLERS 



RUNS
-3,5/+1°C 



DIMENSIONS

	INOVA 520 SZ	INOVA 650 SZ
External (w x d x h) (mm)	680 x 652 x 2130	725 x 790 x 2076
Internal (w x d x h) (mm)	575 x 500 x 1470	624 x 636 x 1374
Usable / Gross Volume (lt)	447 / 494	567 / 642

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	8 / 8	9 / 9
Loading (330 ml can / 500 ml bottle)	628 / 287	782 / 414
Number of Shelves	5	5

REFRIGERATION SYSTEM

Temperature Range	-3,5 / +1°C	-3,5 / +1°C
Ambient Condition	C+	C+
Refrigerant	R290	R290

TRANSPORTATION

Net / Weight with Package (kg)	115 / 125	151 / 161
Container 20'	24	21
Container 40 HC'	49	44
Truck 13,6 m	57	52


Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Compact
Design



Adjustable
Feet
/Rollers



Eco-Friendly
Design



Door
Lock



High Resolution
Printing Quality
for Stickers



LED
Illumination



DOUBLE DOOR SOLUTIONS



S880 SLIM HINGED



S880 SLIM SLIDING



S880 WOC SLIM



DIMENSIONS

	S880 SLIM HINGED	S880 SLIM SLIDING	S880 WOC SLIM
External (w x d x h) (mm)	880 x 750 x 2001	880 x 712 x 2001	880 x 715 x 2009
Internal (w x d x h) (mm)	805 x 614 x 1386	805 x 531 x 1386	805 x 614 x 1571
Usable / Gross Volume (lt)	702 / 783	631 / 783	725 / 804

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	12 / 12	12 / 12	12 / 12
Loading (330 ml can / 500 ml bottle)	940 / 470	940 / 470	963 / 470
Number of Shelves	4	4	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2
Refrigerant	R134a / R290	R134a / R290	R290


TRANSPORTATION

Net / Weight with Package (kg)	140 / 152	140 / 152	145 / 154
Container 20'	18	18	18
Container 40 HC'	39	39	39
Truck 13,6 m	47	47	47

Features/Options



Durable
Sheet Metal
Body



Compact
Design



Dynamic
Cooling



Tempered
Glass



Eco-Friendly
Design



Electronic
Thermostat and
Digital
Thermometer



Door
Handle
(for Hinged
Models)



High
Resolution
Printing
Quality for
Stickers



LED
Illumination

DOUBLE DOOR SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	S880 TD HINGED	S880 SLIDING
External (w x d x h) (mm)	880 x 860 x 2001	880 x 822 x 2001
Internal (w x d x h) (mm)	805 x 724 x 1386	805 x 641 x 1386
Usable / Gross Volume (lt)	819 / 922	762 / 922

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	12 / 12	12 / 12
Loading (330 ml can / 500 ml bottle)	1082 / 541	1082 / 541
Number of Shelves	4	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R134a / R290	R134a / R290

TRANSPORTATION

Net / Weight with Package (kg)	147 / 157	147 / 157
Container 20'	12	12
Container 40 HC'	26	28
Truck 13,6 m	30	32

Features/Options



Durable
Sheet Metal
Body



Dynamic
Cooling



Tempered
Glass



Door Handle
(for Hinged
Models)



Eco-Friendly
Design



Electronic
Thermostat and
Digital
Thermometer



Shelf Price
Tag Holder



High Resolution
Printing Quality
for Stickers



LED
Illumination

DOUBLE DOOR SOLUTIONS




S900 TD HINGED



S900 DD SLIDING



COOL 900 DD WOC



COOL 900 DD
with canopy
design

DIMENSIONS

	S900 TD HINGED	S900 DD SLIDING	COOL 900 DD WOC	COOL 900 DD
External (w x d x h) (mm)	1103 x 728 x 2001	1103 x 690 x 2001	893 x 705 x 2075	893 x 788 x 2018
Internal (w x d x h) (mm)	1028 x 592 x 1351	1028 x 509 x 1351	805 x 637 x 1835	804 x 575 x 1645
Usable / Gross Volume (lt)	846 / 962	707 / 852	755 / 880	696 / 804

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	15 / 15	15 / 15	12 / 12	12 / 12
Loading (330 ml can / 500 ml bottle)	1098 / 489	956 / 551	1012 / 506	1036 / 518
Number of Shelves	4	4	5	5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2	CC2
Refrigerant	R134a / R290	R134a / R290	R290	R290

TRANSPORTATION

Net / Weight with Package (kg)	145 / 158	145 / 158	150 / 165	165 / 180
Container 20'	15	16	18	14
Container 40 HC'	32	32	38	28
Truck 13,6 m	36	38	47	32

Features/Options



Durable
Sheet Metal
Body



Dynamic
Cooling



Tempered
Glass



Door Handle
(for Hinged
Models)



Eco-Friendly
Design



Electronic
Thermostat and
Digital
Thermometer



Shelf Price
Tag Holder



High
Resolution
Printing
Quality for
Stickers



LED
Illumination

DOUBLE DOOR SOLUTIONS

BEVERAGE COOLERS 



S1000 TD HINGED



S1000 DD SLIDING



S1000 HG SLIDING

DIMENSIONS

	S1000 TD HINGED	S1000 DD SLIDING	S1000 HG SLIDING
External (w x d x h) (mm)	990 x 860 x 2001	990 x 822 x 2001	990 x 822 x 2141
Internal (w x d x h) (mm)	915 x 724 x 1343	915 x 641 x 1343	915 x 641 x 1483
Usable / Gross Volume (lt)	931 / 1045	851 / 948	945 / 1035

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	13 / 13	13 / 13	13 / 13
Loading (330 ml can / 500 ml bottle)	1214 / 607	1214 / 685	1214 / 607
Number of Shelves	4	4	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2
Refrigerant	R134a / R290	R134a / R290	R134a / R290

TRANSPORTATION

Net / Weight with Package (kg)	158 / 172	158 / 172	171 / 185
Container 20'	12	12	12
Container 40 HC'	26	28	28
Truck 13,6 m	30	32	32

Features/Options



Durable
Sheet Metal
Body



Adjustable
Feet
/ Rollers



Tempered
Glass



Door Handle
(for Hinged
Models)



Eco-Friendly
Design



Electronic
Thermostat



Door
Lock



Shelf Price
Tag Holder



High
Resolution
Printing
Quality for
Stickers



LED
Illumination

DOUBLE DOOR SOLUTIONS



COOL
1100 with
canopy
design

COOL **1100** WOC



S1200 TD HINGED



S1200 SLIDING



DIMENSIONS

	COOL 1100	COOL 1100 WOC	S1200 TD HINGED	S1200 SLIDING
External (w x d x h) (mm)	1235 x 806 x 2156	1235 x 757 x 2156	1103 x 860 x 2001	1103 x 860 x 2001
Internal (w x d x h) (mm)	1146 x 630 x 1775	1146 x 630 x 1775	1028 x 724 x 1386	1028 x 641 x 1386
Usable / Gross Volume (lt)	1299 / 1487	1295 / 1386	1009 / 1175	971 / 1068

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	17 / 17	17 / 17	15 / 15	15 / 15
Loading (330 ml can / 500 ml bottle)	1656 / 828	1836 / 883	1400 / 700	1400 / 700
Number of Shelves	5	6	4	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2	CC2
Refrigerant	R290	R290	R134a / R290	R134a / R290

TRANSPORTATION

Net / Weight with Package (kg)	205 / 219	218 / 233	172 / 188	172 / 188
Container 20'	11	11	12	12
Container 40 HC'	23	24	26	28
Truck 13,6 m	26	31	30	32

Features/Options




Durable
Sheet Metal
Body



Adjustable
Feet
/ Rollers



Tempered
Glass



Door Handle
(for Hinged
Models)



Eco-Friendly
Design



Electronic
Thermostat
and Digital
Thermometer



Door
Lock



High
Resolution
Printing
Quality for
Stickers




Shelf Price
Tag Holder



LED
Illumination

DOUBLE DOOR SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	S1300 TD HINGED	S1300 DD SLIDING	S1300 WOC SLIM
External (w x d x h) (mm)	1200 x 873 x 2001	1200 x 835 x 2001	1200 x 736 x 2009
Internal (w x d x h) (mm)	1125 x 724 x 1386	1125 x 641 x 1386	1125 x 622 x 1571
Usable / Gross Volume (lt)	1027/ 1275	1083 / 1230	1088 / 1142

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	16 / 16	16 / 16	16 / 16
Loading (330 ml can / 500 ml bottle)	1494 / 772	1624 / 795	1306 / 674
Number of Shelves	4	4	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2
Refrigerant	R290	R290	R290

TRANSPORTATION

Net / Weight with Package (kg)	222 / 236	198 / 212	185 / 199
Container 20'	11	10	11
Container 40 HC'	22	22	24
Truck 13,6 m	26	26	34

Features/Options



Durable
Sheet Metal
Body




Dynamic
Cooling



Tempered
Glass



Adjustable
Feet
/Rollers



Door Handle
(for Hinged
Models)



Eco-
Friendly
Design



Electronic
Thermostat and
Digital
Thermometer



Door
Lock



High
Resolution
Printing
Quality for
Stickers



LED
Illumination

LARGE DOUBLE TRIPLE DOOR SOLUTIONS



DIMENSIONS

	S1500 WOC 3D	S1600 2D	S1600 WOC 3D
External (w x d x h) (mm)	1500 x 714 x 2023	1600 x 736 x 2042	1600 x 736 x 2050
Internal (w x d x h) (mm)	1400 x 555 x 1545	1500 x 623 x 1334	1500 x 623 x 1545
Usable / Gross Volume (lt)	1112 / 1264	1326 / 1455	1326 / 1455

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	21 / 21	22 / 22	22 / 22
Loading (330 ml can / 500 ml bottle)	1502 / 751	1828 / 912	1828 / 912
Number of Shelves	4	4	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2
Refrigerant	R290	R290	R134a / R290

TRANSPORTATION

Net / Weight with Package (kg)	233 / 255,5	247 / 273	247 / 273
Container 20'	10	10	10
Container 40 HC'	22	20	21
Truck 13,6 m	25	25	25

Features/Options




Durable
Sheet Metal
Body



Dynamic
Cooling



Tempered
Glass



Door Handle
(for Hinged
Models)



Eco-Friendly
Design



Electronic
Thermostat and
Digital
Thermometer



High
Resolution
Printing
Quality for
Stickers




Reversible
Door



LED
Illumination

DOUBLE DOOR TROPICAL MARKET COOLER SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	INOVA 1000 HINGED	INOVA 1000 SZ	INOVA 1200
External (w x d x h) (mm)	1070 x 738 x 2106	1070 x 738 x 2106	1103 x 860 x 2001
Internal (w x d x h) (mm)	970 x 590 x 1406	970 x 590 x 1350	1028 x 724 x 1386
Usable / Gross Volume (lt)	818 / 920	794 / 920	1080 / 1175

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	14 / 14	14 / 14	15 / 15
Loading (330 ml can / 500 ml bottle)	1256 / 585	1200 / 585	1400 / 700
Number of Shelves	5	5	4

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	-3,5 / +1 °C	+1/+9 °C
Ambient Condition	CC2 & CC3	C+	CC2 & CC3
Refrigerant	R134a / R290	R290	R134a / R290

TRANSPORTATION

Net / Weight with Package (kg)	179 / 195	179 / 195	172 / 188
Container 20'	15	15	12
Container 40 HC'	32	32	26
Truck 13,6 m	36	36	30

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Digital
Thermometer
(INOVA
1000 SZ)



Tempered
Glass



Adjustable
Feet
/Rollers



Eco-Friendly
Design



Door
Lock



High
Resolution
Printing
Quality for
Stickers



LED
Illumination



S149 WIC



D372 WIC



D372 WIC FRAMELESS



DIMENSIONS

	S149 WIC	D372 WIC	D372 WIC FRAMELESS
External (w x d x h) (mm)	600 x 645 x 840	600 x 618 x 1863	595 x 615 x 1863
Internal (w x d x h) (mm)	490 x 466 x 670	490 x 447 x 1557	490 x 447 x 1557
Usable / Gross Volume (lt)	148 / 158	360 / 382	360 / 382

LOADING CAPACITY

Number of Shelves	2	7	7
-------------------	---	---	---

REFRIGERATION SYSTEM

Temperature Range	+7 / +20 °C	+7 / +20 °C	+7 / +20 °C
Ambient Condition	CC1 / CC2	CC1 / CC2	CC1 / CC2
Refrigerant	R600a	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	44 / 50	72 / 81	72 / 81
Container 20'	54	27	27
Container 40 HC'	171	57	57
Truck 13,6 m	240	80	80

Features/Options



Electronic
Thermostat



Compact
Design
(S 149 WIC)




Hot temp.
Alert



Dynamic
Cooling



Tempered
Glass



Door
Handle



Eco-Friendly
Design



Durable
Sheet Metal
Body



Reversible
Door

COUNTER TOP SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	S45	S75	S110
External (w x d x h) (mm)	410 x 390 x 620	500 x 530 x 760	500 x 585 x 885
Internal (w x d x h) (mm)	350 x 285 x 520	430 x 405 x 650	430 x 436 x 774
Usable / Gross Volume (lt)	41 / 46	99 / 103	136 / 143

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	5 / 5	6 / 6	6 / 6
Loading (330 ml can / 500 ml bottle)	46 / 23	119 / 48	190 / 97
Number of Shelves	1	2	2+1

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC3	CC2	CC2
Refrigerant	R600a	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	26 / 30	41 / 47	43,5 / 49,5
Container 20'	96*	84	80
Container 40 HC'	312*	261	168
Truck 13,6 m	336*	312	198

Features/Options



Durable
Sheet Metal
Body



Compact
Design



Metallic
Inner Liner



Dynamic
Cooling



Tempered
Glass



Door
Handle



Eco-Friendly
Design



Electronic
Thermostat and
Digital
Thermometer



Reversible
Door



DIMENSIONS

	S210 BB HINGED	S210 BB SLIDING	S220 BB HINGED	S220 BB SLIDING
External (w x d x h) (mm)	879 x 539 x 865	888 x 504 x 861	879 x 539 x 890	888 x 504 x 886
Internal (w x d x h) (mm)	797 x 338 x 751	797 x 338 x 751	797 x 338 x 751	797 x 338 x 751
Usable / Gross Volume (lt)	193 / 218	193 / 218	184 / 223	184 / 223

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	12	12	12 / 12	12 / 12
Loading (330 ml can / 500 ml bottle)	302 / 151	302 / 151	284 / 142	302 / 151
Number of Shelves	2	2	2	2

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2	CC2	CC2
Refrigerant	R600a	R600a	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	57,5 / 67,5	57,5 / 67,5	60,5 / 66	60,5 / 66
Container 20'	48	48	48	48
Container 40 HC'	100	100	100	100
Truck 13,6 m	120	120	120	120

Features/Options



Durable
Sheet Metal
Body



Compact
Design



Dynamic
Cooling



Eco-Friendly
Design



Digital
Thermometer



Door Lock
(S220
Models)



Shelf Price
Tag Holder

BACK BAR

BEVERAGE COOLERS 



S330 BB HINGED



S330 BB SLIDING

DIMENSIONS

	S330 BB HINGED	S330 BB SLIDING
External (w x d x h) (mm)	1350 x 539 x 865	1350 x 509 x 865
Internal (w x d x h) (mm)	1267 x 312 x 750	1267 x 312 x 750
Usable / Gross Volume (lt)	284 / 342	284 / 342

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	19	19
Loading (330 ml can / 500 ml bottle)	370 / 200	370 / 200
Number of Shelves	2	2

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	88 / 100	88 / 100
Container 20'	32	32
Container 40' HC	66	66
Truck 13,6 m	74	74

Features/Options



Durable
Sheet Metal
Body



Compact
Design



Dynamic
Cooling



Eco-Friendly
Design



Digital
Thermometer



Door Lock
(S220
Models)



Shelf Price
Tag Holder



DIMENSIONS

	S340 BB HINGED	S340 BB SLIDING
External (w x d x h) (mm)	1350 x 539 x 890	1350 x 509 x 865
Internal (w x d x h) (mm)	1267 x 312 x 750	1267 x 312 x 750
Usable / Gross Volume (lt)	284 / 342	284 / 342

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	19	19
Loading (330 ml can / 500 ml bottle)	370 / 200	370 / 200
Number of Shelves	2	2

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2	CC2
Refrigerant	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	88 / 100	88 / 100
Container 20'	32	32
Container 40' HC	66	66
Truck 13,6 m	74	74

Features/Options



Durable
Sheet Metal
Body



Compact
Design



Dynamic
Cooling



Eco-Friendly
Design



Digital
Thermometer




Door Lock
(S220
Models)



Shelf Price
Tag Holder

OPEN TOP COOLER SOLUTIONS

BEVERAGE COOLERS 



DIMENSIONS

	E300	E400	E600
External (w x d x h) (mm)	655 x 570 x 1132	655 x 575 x 1498	655 x 424 x 986
Internal (w x d x h) (mm)	566 x 486 x 529	601 x 495 x 907	599 x 286 x 428
Usable / Gross Volume (lt)	160 / 210	210 / 274	70 / 110

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	8 / 8	8 / 8	9 / 9
Loading (330 ml can / 500 ml bottle)	141 / 77	245 / 125	144/36
Number of Shelves	2	3	N / A

REFRIGERATION SYSTEM

Temperature Range	-1 / +7	-1 / +7	-1 / +7
Ambient Condition	Class 3	Class 3	Class 3
Refrigerant	R134a / R290	R134a / R290	R134a / R290


TRANSPORTATION

Net / Weight with Package (kg)	77 / 84	91 / 100	53 / 59
Container 20'	23	23	70
Container 40 HC'	98	49	148
Truck 13,6 m	114	57	180

Features/Options



High
Mobility



Compact
Design



Dynamic
Cooling



Eco-Friendly
Design



Electronic
Thermostat



LED
Illumination



Shelf Price
Tag Holder



High
Resolution
Printing
Quality for
Stickers



Separator
and Divider
Options
(for E600)



OPEN FRONT COOLER SOLUTIONS



DIMENSIONS

	OF185	OF375	OF880	OF1100
External (w x d x h) (mm)	630 x 630 x 1575	730 x 742 x 1850	880 x 750 x 2147	1130 x 968 x 2120
Internal (w x d x h) (mm)	520 x 300 x 831	620 x 402 x 1103	805 x 569 x 1326	1020 x 555 x 1337
Usable / Gross Volume (lt)	127 / 127	274 / 274	607 / 727	757 / 757

LOADING CAPACITY

Facing (330 ml can / 500 ml bottle)	7 / 7	9 / 9	12/12	15 / 15
Loading (330 ml can / 500 ml bottle)	182 / 91	324 / 162	621 / 276	1190 / 595
Number of Shelves	2	3	4	4

REFRIGERATION SYSTEM

Temperature Range	-1 / +7	-1 / +7	-1 / +7	-1 / +7
Ambient Condition	Class 3	Class 3	Class 3	Class 3
Refrigerant	R134a / R290	R134a / R290	R290	R404a

TRANSPORTATION

Net / Weight with Package (kg)	93 / 101	125 / 136	129 / 144	238,5 / 260
Container 20'	24	21	14	10
Container 40' HC	51	30	28	22
Truck 13,6 m	60	51	45	26

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Compact
Design



Hot temp.
Alert



Dynamic
Cooling



Eco-Friendly
Design



Night
Curtain



Digital
Thermometer

OPTIONS FOR VERTICAL COOLERS



Electronic Thermostat

Electronic thermostat supports energy saving by controlling system fans between required temperature levels. Electronic thermostat may have many different options depending on customer requirements.



Thermometer

Shows inner temperature of the cooler and may be either digital or analogue according to market requirements.



LED Illumination

Different LED variations & configurations may be applied on cooler body and door glass in accordance to promotion.



Self Closing And Reversible Door Options

Reversible door option allows for change of door opening direction from left to right. Self closing option ensures door to close by itself.



Door Lock

Door Lock is optional to add safety mechanism to protect merchandise inside the unit. This is applicable to all models.



Street Cooler Feature

This feature enables cooler to become suitable for out-door use. In-built shutter function provides extra safety and security for the merchandise being cold.



Door Handle

You can select among available handle options that will be suitable for our models.



Light Switch

It enables either internal or canopy illumination to be controlled manually.



Feet Options

Adjustable feet to balance the cooler on inclined surfaces or wheels (rollers & castors) to move the cooler can be selected.



For minimum order quantities and timelines, please contact us.

AESTHETIC CUSTOMIZATION

We design and manufacture customized units that are attractive and stylish for premium point of sales.



FRAMELESS Design

A sleek frameless design (available for single and double doors) to represent a minimalist trend with its smooth premium finish.



CUSTOM LED Design

A remarkable look with colorful illumination that slips the glass through.



LUNA Design

Remarkable look with illumination that slips through the door and elegant design with rounded corners.



ROYCE Design

Classic retro design with rounded shape, vintage looking with nostalgic details, shining chrome finishing on grid and glass frame with special handle design.



NEO Design

A canopyless and frameless design with rounded corners and minimized corner joints for premium point of sales.



MAGIC Branding

A glowing illuminated solution that allows messages to be written on the door glass with a Magic Pen. It is easy to apply and remove. A great seasonal sales tool for pubs.



PRIME NEON Design

Eye catching aesthetics with illumination on the door and outstanding premium look with rounded and frameless design details.



Impuls Design

Eye-catching rounded corners, a chrome-coated frame, and a handle collectively offer a retro aesthetic. The LED-illuminated logo design and a well-matched grid further enhance its visual appeal.



*The Cool Partner
Worldwide*



HORIZONTAL COOLERS

You may be looking for a horizontal product either for cooling or freezing. Surely as Klimasan, we can provide **ALL IN ONE** refrigeration option with our product range. From our wide and competitive range of models you can prefer coolers among lid or sliding glass alternatives.

HORIZONTAL COOLERS

WITH SLIDING GLASS LID

BEVERAGE COOLERS 



DIMENSIONS

	S152 BCSG	S200 BCSG	S300 BCSG
External (w x d x h) (mm)	585 x 635 x 890	725 x 635 x 890	1015 x 635 x 890
Internal (w x d x h) (mm)	460 x 510 x 560	520 x 510 x 620	890 x 510 x 665
Usable / Gross Volume (lt)	115 / 137	147 / 191	261 / 303
Usable / Gross Volume (lt)*	92.5 / 114.5	124.5 / 168.5	238.5 / 280.5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC2 / CC3 (Class 4/5)	CC2 (Class 4)	CC2 (Class 4)
Ambient Condition*	CC2 (Class 4)	CC2 (Class 4)	CC2 (Class 4)
Refrigerant	R134a / R600a	R134a / R600a	R134a / R290
Refrigerant*	R600a	R600a	R290

TRANSPORTATION

Net / Weight with Package (kg)	44 / 48	50 / 54	58 / 63
Container 20'	54	48	32
Container 40 HC'	162	153	102
Truck 13,6 m	189	171	114

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Eco-Friendly



New
Design
Frame



Electronic
Thermostat



Basket



Wheels/
Casters



Lid
Lock

HORIZONTAL CHEST COOLERS

WITH SOLID LID



DIMENSIONS	S152 BC	S300 BC	S400 BC	S500 BC	S300 BCSL
External (w x d x h) (mm)	585 x 680 x 890	1015 x 720 x 845	1305 x 720 x 845	1555 x 720 x 845	1015 x 635 x 915
Internal (w x d x h) (mm)	460 x 510 x 675	890 x 510 x 675	1180 x 510 x 675	1430 x 510 x 675	890 x 510 x 660
Usable / Gross Volume (lt)	126 / 145	275 / 288	373 / 391	458 / 479	288 / 303
Usable / Gross Volume (lt)*	103.5 / 122.5	252.5 / 265.5	350.5 / 368.5	435.5 / 456.5	265.5 / 280.5

REFRIGERATION SYSTEM

Temperature Range	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C	+1 / +9 °C
Ambient Condition	CC3 (Class 5)	CC2 & CC3 (Class 4 / 5)	CC3 (Class 5)	CC2 & CC3 (Class 4 / 5)	CC2 (Class 4)
Ambient Condition*	CC2 (Class 4)	CC2 (Class 4)	CC2 (Class 4)	CC2 (Class 4)	CC2 (Class 4)
Refrigerant	R600a	R134a / R600a	R600a	R134a / R600a	R600a
Refrigeran*	R600a	R600a	R600a	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	40 / 43	54 / 58	63 / 68	70 / 76	58 / 61
Container 20'	48	32	24	20	40
Container 40 HC'	108	99	75	63	68
Truck 13,6 m	120	111	84	75	88

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Eco-Friendly



Electronic
Thermostat



High Resolution
Printing Quality
for Stickers



Basket




Wheels/
Castors



Lid Lock
(for BC
models)

ISLAND COOLERS

BEVERAGE COOLERS 



DIMENSIONS

	ICSG600	ICSG700	IHSG600 ISLAND HEAD
External (w x d x h) (mm)	1856 x 870 x 925	2106 x 870 x 925	1856 x 870 x 820
Internal (w x d x h) (mm)	1720 x 730 x 720	1970 x 730 x 720	1720 x 730 x 616
Usable / Gross Volume (lt)	580 / 767	675 / 889	448 / 635

REFRIGERATION SYSTEM

Temperature Range	-1 / +2,5 °C	-1 / +2,5 °C	-1 / +2,5 °C
Ambient Condition	Class 3	Class 3	Class 3
Refrigerant	R290 / R404a	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	140 / 170,5	152 / 184,5	118 / 148,5
Container 20'	12	12	12
Container 40 HC'	26	26	26
Truck 13,6 m	28	28	28

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Digital
Control
Panel



Adjustable
Feet
/Rollers



Built-in
Handle



Eco-
Friendly



Separator
and Divider
Options



Wheels/
Castors



LED
Illumination



BEVERAGE COOLERS



ICE-CREAM



FROZEN FOOD

4+1 Island Design



4 Pieces Island Design



Standalone



1x4 Island Design



4+2 Island Design



Connection kits are available for various island designs.



Bumpers Available

ISLAND DUAL

EITHER COOLER OR FREEZER POSSIBLE

DIMENSIONS

	IDSG 600 DUAL	IDSG 700 DUAL	IHSG 600 DUAL ISLAND HEAD
External (w x d x h) (mm)	1856 x 870 x 925	2106 x 870 x 925	1856 x 870 x 820
Internal (w x d x h) (mm)	1720 x 730 x 720	1970 x 730 x 720	1720 x 730 x 616
Usable / Gross Volume (lt)	580 / 767	675 / 889	448 / 635

REFRIGERATION SYSTEM

Temperature Range	-18/-23 °C or -1/+2,5 °C	-18/-23 °C or -1/+2,5 °C	-18/-23 °C or -1/+2,5 °C
Ambient Condition	Class 3	Class 3	Class 3
Refrigerant	R290 / R404a	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	140 / 170,5	152 / 184,5	118 / 148,5
Container 20'	12	12	12
Container 40 HC'	26	26	26
Truck 13,6 m	28	28	28

Features/Options



Durable Sheet Metal Body



Electronic Thermostat



Control Panel



Eco-Friendly



Separator and Divider Options



Wheels/Casters



Automatic Defrost



VCC Compressor



LED Illumination



*The Cool Partner
Worldwide*



CONSERVATORS FOR ICE CREAM AND FROZEN FOOD

We are glad to present our horizontal **product range for ice-cream and frozen food merchandising** with cooling & mechanical design suitable even for high and very high ambient conditions in Tropical and Sub-Tropical Zones.

Our models within Tropical Series are available as Class 4 and Class 5. The products are with robust **metallic inner cabinet, castors for easy movement** and **digital thermometer options**.

The range is available with Flat or Angled **glass alternatives** as well as with aluminium or plastic cabinet frames. **Various basket types, LED inner illumination** or **illuminated canopy** can also be selected as an option.

We, as Klimasan | Metalfrio Group, pay big attention to all our customers and partner's individual requirements, considering market conditions, climate circumstances, geographical needs and final consumers behaviors.

We commit **long-term support** and **partnership** through the Life-Cycle of our products as well as **high quality** and **deep experience** in industry. Thank you for choosing our products and your valuable cooperation!

ALUMINIUM CABINET FRAME FREEZER SOLUTIONS

FROZEN FOOD  ICE-CREAM 



Flat Frame-
Curved Glass
Lid



Flat Frame-
Flat Glass
Lid



DIMENSIONS

	D200 DFSG FF/FC	D300 DFSG FF/FC	D400 DFSG FF/FC
External (w x d x h) (mm)	725 x 635 x 890	1015 x 635 x 890	1305 x 635 x 890
Internal (w x d x h) (mm)	600 x 510 x 665	890 x 510 x 665	1180 x 510 x 665
Usable / Gross Volume (lt)	168 / 196	261 / 303	355 / 410

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C	< -18 °C
Ambient Condition	Class C	Class C	Class C
Refrigerant	R290 / R404a	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	50 / 55	58 / 61	70 / 79
Container 20'	48	32	24
Container 40 HC'	153	102	75
Truck 13,6 m	171	117	90

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Wheels/
Castors



Eco-
Friendly
Design



LED
Illumination



Basket



Digital
Thermometer



Pre-Painted
Metallic
Inner Liner



Lid
Lock



High Resolution
Printing Quality
for Stickers



ICE-CREAM



FROZEN FOOD

Flat Frame–
Flat Glass
LidFlat Frame–
Curved Glass
Lid

ALUMINIUM CABINET FRAME FREEZER SOLUTIONS



DIMENSIONS

	D500 DFSG FF/FC	D600 DFSG FF/FC
External (w x d x h) (mm)	1555 x 635 x 890	2050 x 635 x 890
Internal (w x d x h) (mm)	1430 x 510 x 665	1930 x 510 x 665
Usable / Gross Volume (lt)	436 / 503	534 / 672

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C
Ambient Condition	Class C	Class C
Refrigerant	R290 / R404a	R290

TRANSPORTATION

Net / Weight with Package (kg)	78 / 85	87 / 97
Container 20'	22	16
Container 40 HC'	72	51
Truck 13,6 m	81	57

Features/Options

Durable
Sheet Metal
BodyMechanical
ThermostatWheels/
CastorsEco-
Friendly
DesignLED
Illumination

Basket

Digital
ThermometerPre-Painted
Metallic
Inner LinerLid
LockHigh Resolution
Printing Quality
for Stickers

ALUMINIUM CABINET FRAME FREEZER SOLUTIONS

FROZEN FOOD  ICE-CREAM 



Angled Frame
-Curved Glass
Lid



Angled Frame
-Flat Glass
Lid



DIMENSIONS

	D152 DFSG AC/AF	D200 DFSG AC/AF	D300 DFSG AC/AF
External (w x d x h) (mm)	585 x 635 x 890	725 x 635 x 890	1015 x 635 x 890
Internal (w x d x h) (mm)	460 x 510 x 560	600 x 510 x 560	890 x 510 x 560
Usable / Gross Volume (lt)	115 / 137	158 / 187	248 / 290

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C	< -18 °C
Ambient Condition	Class B	Class C	Class C
Refrigerant	R600a	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	34 / 38	50 / 55	58 / 61
Container 20'	54	48	32
Container 40 HC'	162	153	102
Truck 13,6 m	189	171	117

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Wheels/
Castors



Eco-
Friendly
Design



LED
Illumination



Basket



Digital
Thermometer



Pre-Painted
Metallic
Inner Liner



Lid
Lock



High Resolution
Printing Quality
for Stickers



ICE-CREAM



FROZEN FOOD



Angled Frame - Flat Glass Lid
Angled Frame - Curved Glass Lid

ALUMINIUM CABINET FRAME FREEZER SOLUTIONS



DIMENSIONS

	D400 DFSG AC/AF	D500 DFSG AC/AF
External (w x d x h) (mm)	1305 x 635 x 890	1555 x 635 x 890
Internal (w x d x h) (mm)	1180 x 510 x 560	1430 x 510 x 560
Usable / Gross Volume (lt)	337 / 393	414 / 482

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C
Ambient Condition	Class C	Class C
Refrigerant	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	70 / 79	78 / 85
Container 20'	24	22
Container 40 HC'	75	72
Truck 13,6 m	90	81

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Wheels/
Castors



Eco-
Friendly
Design



LED
Illumination



Basket



Digital
Thermometer



Pre-Painted
Metallic
Inner Liner



Lid
Lock



High Resolution
Printing Quality
for Stickers

PLASTIC CABINET FRAME FREEZER SOLUTIONS

FROZEN FOOD  ICE-CREAM 



Angled Frame
-Curved Glass
Lid



DIMENSIONS

	D200 DFSG AC PLASTIC	D300 DFSG AC PLASTIC	D400 DFSG AC PLASTIC	D500 DFSG AC PLASTIC
External (w x d x h) (mm)	725 x 635 x 890	1015 x 635 x 890	1305 x 635 x 890	1555 x 635 x 890
Internal (w x d x h) (mm)	600 x 510 x 620	890 x 510 x 620	1180 x 510 x 620	1430 x 510 x 620
Usable / Gross Volume (lt)	165 / 195	257 / 302	349 / 408	429 / 499

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C	< -18 °C	< -18 °C
Ambient Condition	Class B	Class B	Class B	Class B
Refrigerant	R134a/R290/R404a	R134a/R290/R404a	R134a/R290/R404a	R134a/R290/R404a

TRANSPORTATION

Net / Weight with Package (kg)	50 / 55	58 / 61	70 / 79	78 / 85
Container 20'	48	32	24	22
Container 40 HC'	153	102	75	72
Truck 13,6 m	171	114	90	81

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Wheels/
Castors



Eco-Friendly
Design



Lid
Lock



Pre-Painted
Metallic
Inner Liner



LED
Illumination



Basket



Digital
Thermometer



High
Resolution
Printing
Quality for
Stickers



Flat
Glass Lid



DISPLAY ICE-CREAM SCOOPING SOLUTIONS



DIMENSIONS

	D400 DFSG AF DISPLAY	D500 DFSG AF DISPLAY
External* (w x d x h) (mm)	1305 x 635 x 1255	1555 x 635 x 1255
Internal (w x d x h) (mm)	1180 x 510 x 560	1430 x 510 x 560
Usable / Gross Volume (lt)	337 / 381	414 / 467


REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C
Ambient Condition	Cabinet 4 / Cabinet 5 (CC3)	Cabinet 4 / Cabinet 5 (CC3)
Refrigerant	R134a / R290 / R404a	R134a / R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	73 / 80	84 / 92
Container 20'	24	22
Container 40 HC'	75	72
Truck 13,6 m	90	81

Features/Options



(*) Display glass included
Please see page 60 for available options regarding further customization.

HORIZONTAL ICE-CREAM ISLAND

PLUG-IN FREEZERS

FROZEN FOOD  ICE-CREAM 



DIMENSIONS

	IFSG600	IFSG700	IFSG600 ISLAND HEAD
External (w x d x h) (mm)	1856 x 870 x 925	2106 x 870 x 925	1856 x 870 x 820
Internal (w x d x h) (mm)	1720 x 730 x 720	1970 x 730 x 720	1720 x 730 x 616
Usable / Gross Volume (lt)	603 / 790	698 / 912	471 / 658

REFRIGERATION SYSTEM

Temperature Range	-18 / -23 °C	-18 / -23 °C	-18 / -23 °C
Ambient Condition	Class 3	Class 3	Class 3
Refrigerant	R290 / R404a	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	135 / 165,5	146 / 179,5	118 / 148,5
Container 20'	12	12	12
Container 40 HC'	26	26	26
Truck 13,6 m	28	28	28

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



Digital
Control
Panel



LED
Illumination



Adjustable
Feet
/Rollers



Built-in
Handle



Eco-Friendly
Design



Adjustable
Shelves
and
separators



High resolution
digital silk screen
print



VERTICAL DISPLAY FREEZER SOLUTIONS

FROZEN FOOD  ICE-CREAM 



VF225 WOC



VF372



VF372 WOC

DIMENSIONS

	VF225 WOC	VF372	VF372 WOC
External (w x d x h) (mm)	494 x 521 x 1915	640 x 670 x 2056	640 x 670 x 1875
Internal (w x d x h) (mm)	374 x 388 x 1441	490 x 469 x 1570	490 x 469 x 1570
Usable / Gross Volume (lt)	221 / 221	370 / 374	361 / 382

LOADING CAPACITY

Number of Shelves	7 (fixed)	5 (fixed)	5 (fixed)
-------------------	-----------	-----------	-----------

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	-18 / -24 °C	-18 / -24 °C
Ambient Condition	Class 7	Class 4	Class 4
Refrigerant	R290	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	82 / 88	98 / 106	89 / 96
Container 20'	43	27	27
Container 40 HC'	89	54	54
Truck 13,6 m	104	60	60

Features/Options



Durable
Sheet Metal
Body



Electronic
Thermostat



LED
Illumination



Dynamic
Refrigeration



Manuel
Defrost



Adjustable
Feet
/Rollers



Adjustable
Shelves



Eco-Friendly
Design



Door
Lock



ICE-CREAM



FROZEN FOOD



VERTICAL DISPLAY FREEZER SOLUTIONS



VF500



VF700



DIMENSIONS

	VF500	VF700
External (w x d x h) (mm)	670 x 718 x 2026	745 x 820 x 2086
Internal (w x d x h) (mm)	548 x 521 x 1361	624 x 636 x 1405
Usable / Gross Volume (lt)	450 / 496	556 / 646

LOADING CAPACITY

Number of Shelves	6	5
-------------------	---	---

REFRIGERATION SYSTEM

Temperature Range	-18 / -24 °C	-18 / -24 °C
Ambient Condition	Class 5	Class 5
Refrigerant	R290 / R404a	R290 / R404a

TRANSPORTATION

Net / Weight with Package (kg)	128 / 139	156 / 167
Container 20'	24	19
Container 40 HC'	49	42
Truck 13,6 m	57	48

Features/Options

Durable
Sheet Metal
BodyCompact
DesignLED
IlluminationAuto
DefrostAdjustable
Feet
/ RollersEco-Friendly
DesignDoor
LockElectronic
ThermostatHigh Resolution
Printing Quality
for Stickers



*The Cool Partner
Worldwide*



HORIZONTAL CHEST **FREEZER**

The solid lid freezer models are designed both to provide maximum isolation and make warehousing of these coolers easier at premises.

This range offers competitive solutions both for end users and commercial use.

HORIZONTAL CHEST FREEZER SOLUTIONS

FROZEN FOOD  ICE-CREAM 



DIMENSIONS	D200 DF	D300 DF	D400 DF	D500 DF	D600 DF
External (w x d x h) (mm)	725 x 720 x 845	1015 x 720 x 845	1305 x 720 x 845	1555 x 720 x 845	2055 x 720 x 845
Internal (w x d x h) (mm)	600 x 510 x 675	890 x 510 x 675	1180 x 510 x 675	1430 x 510 x 675	1930 x 510 x 675
Usable / Gross Volume (lt)	177 / 186	275 / 288	373 / 391	458 / 479	600 / 655

REFRIGERATION SYSTEM	D200 DF	D300 DF	D400 DF	D500 DF	D600 DF
Temperature Range	< -18 °C	< -18 °C	< -18 °C	< -18 °C	< -18 °C
Ambient Condition	Class 5	Class 5	Class 5	Class 5	Class 5
Refrigerant	R134a / R600a	R134a / R600a	R134a / R600a	R134a / R600a	R290

TRANSPORTATION	D200 DF	D300 DF	D400 DF	D500 DF	D600 DF
Net / Weight with Package (kg)	44 / 47	54 / 58	63 / 66	70 / 76	79 / 86
Container 20'	42	32	24	20	16
Container 40 HC'	135	99	75	63	48
Truck 13,6 m	153	111	84	75	57

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Lid
Lock



Eco-Friendly
Design



Digital
Thermostat/
Thermometer




LED
Illumination



Wheels/
Castors

 FROZEN FOOD  ICE-CREAM



HORIZONTAL CHEST FREEZER SOLUTIONS

WITH DOUBLE
SOLID LIDS



DIMENSIONS

	DFDL300	DFDL400	DFDL500
External (w x d x h) (mm)	1060 x 720 x 845	1350 x 720 x 845	1600 x 720 x 845
Internal (w x d x h) (mm)	890 x 510 x 675	1180 x 510 x 675	1430 x 510 x 675
Usable / Gross Volume (lt)	275 / 288	373 / 391	458 / 479

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C	< -18 °C
Ambient Condition	Class A	Class A	Class A
Refrigerant	R134a / R600a	R134a / R600a	R134a / R290

TRANSPORTATION

Net / Weight with Package (kg)	54 / 58	63 / 68	70 / 76
Container 20'	32	24	20
Container 40 HC'	99	75	63
Truck 13,6 m	111	84	75

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Eco-Friendly
Design



Digital
Thermostat/
Thermometer



LED
Illumination



Wheels/
Castor



Basket

HORIZONTAL CHEST FREEZER SOLUTIONS

HOME APPLIANCE 

FROZEN FOOD 



DIMENSIONS

	D152 F CLASS	D200 F CLASS	D300 F CLASS	D400 F CLASS	D500 F CLASS
External (w x d x h) (mm)	585 x 680 x 885	725 x 720 x 885	1015 x 720 x 885	1305 x 720 x 885	1555 x 720 x 885
Internal (w x d x h) (mm)	460 x 510 x 670	600 x 510 x 670	890 x 510 x 670	1180 x 510 x 670	1430 x 510 x 670
Usable / Gross Volume (lt)	135 / 136	177 / 178	275 / 276	373 / 375	458 / 461

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C	< -18 °C	< -18 °C	< -18 °C
Ambient Condition	Class A	Class T	Class T	Class T	Class T
Refrigerant	R134a / R290 / R600a	R600a	R600a	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	41 / 43	44 / 48	53 / 58	62 / 67	71 / 75
Container 20'	48	42	32	24	20
Container 40 HC'	108	94	66	50	42
Truck 13,6 m	120	108	74	56	52

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Lid
Lock



Eco-Friendly
Design



Digital
Thermostat/
Thermometer



LED
Illumination
(Except
D152 A+)



Wheels/
Castors

 HOME APPLIANCE

 FROZEN FOOD



HORIZONTAL CHEST FREEZER

SOLUTIONS

WITH SOLID LID



DIMENSIONS

	D200 E CLASS	D300 E CLASS	D400 E CLASS
External (w x d x h) (mm)	845 x 720 x 845	1155 x 720 x 845	1495 x 720 x 845
Internal (w x d x h) (mm)	680 x 470 x 625	995 x 470 x 625	1330 x 470 x 625
Usable / Gross Volume (lt)	175 / 179	268 / 272	366 / 371

REFRIGERATION SYSTEM

Temperature Range	< -18 °C	< -18 °C	< -18 °C
Ambient Condition	Class T	Class T	Class T
Refrigerant	R600a	R600a	R600a

TRANSPORTATION

Net / Weight with Package (kg)	45 / 51	54 / 60	62 / 70
Container 20'	36	26	20
Container 40 HC'	117	84	66
Truck 13,6 m	141	99	78

Features/Options



Durable
Sheet Metal
Body



Mechanical
Thermostat



Lid
Lock



Eco-Friendly
Design



Digital
Thermostat/
Thermometer



LED
Illumination
(Except
D152 A+)



Wheels/
Casters

(*) Also compatible with new regional energy class regulations like 2019/2016/EU
Please see page 60 for available options regarding further customization.

HORIZONTAL FREEZER OPTIONS



Color Option for Plastic Frames

Any colour can be chosen according to your brand for conservators with plastic frame.



Digital Thermometer

Shows inner temperature of the cooler and may be either digital or analogue according to market requirements.



Branding Application on Outer Body

Branded stickers can be applied at all surfaces.




Various Basket Solutions

Apart from standard baskets, we offer options like divided baskets, corner baskets and dividers.




Wheel Options

Practical wheel/caster options can be selected for mobility and flexibility of the units at retail points.




Illuminated Canopy

Illuminated and branded canopy can be implemented if required.



Parasol Holder

Depending on the purpose of use, price list holder or parasol holder can be applied on the cooler body.



LED Illumination

Illumination can be added to brighten top layer of displayed products to increase awareness and get customer attention.



For minimum order quantities and timelines, please contact us.

AESTHETIC CUSTOMIZATION

We design and manufacture customized units that are attractive and stylish for premium point of sales.



Solid Plastic Frame

Single piece solid cabinet frame with colour options depending on your brand.



LED

Additional branding options like canopy, LED at chest, can be customised as per your brand, logo or even product.



Display Design

Branded ice cream freezers with glass shield creates customer attraction for scoop ice cream sales at retail.

Slim Design

Freezing solutions with glass door enabling display and an exclusive compact design.



Visual Branding

Touching customers at every stage of their journey with branding on the unit's body, handle, illumination, canopy and even shelves.

Base Line For Tropical Conditions



Inova Model Family



Hybrid

Subzero Model Family



Conservators With Sliding Lids

D200 DFSG FC



D200 DFSG FF



D300 DFSG FC



D300 DFSG FF



D400 DFSG FC



D400 DFSG FF



D500 DFSG FC



D500 DFSG FF



D600 DFSG FC



D600 DFSG FF



D152 DFSG AC



D152 DFSG AF



D200 DFSG AC



D200 DFSG AF



D300 DFSG AC



D300 DFSG AF



D400 DFSG AC



D400 DFSG AF



D500 DFSG AC



D500 DFSG AF



Conservators With Display Glass

D400 DFSG AF DISPLAY



D500 DFSG AF DISPLAY



Vertical Freezers

VF225



VF372



VF500





Klimasan LifeCycle Services & After Sales

Customized Services Solution

Klimasan provide aftersales services under warranty contracts. A collective approach under **LifeCycle** includes:

Worldwide mobility: Klimasan can offer key-turn solutions with the support of Metalfrío | Solutions worldwide network.

Original spare parts: We provide competitive spare parts from leading brands so that your merchandise perform longer and has a durable product life.

High skilled technicians: The engineers and technical staff are vital factors to success of our business and your business run smoothly.

Technical training: In addition to quality components and production, the knowledge for usage is also important for coolers to have a longer life. Klimasan's LifeCycle supports our customers for quick answers and practical know-how with on-the job training and documentations for solutions.

Service providers: Experienced technicians of Klimasan's business partners provide assistance and solutions where applicable.






Refurbishment



**Post
Warranty
Corrective
Repairs**




**Integrated
Spare
Parts
Management**




**Waste
Management**

**Preventive
Maintenance**



**Asset
traceability**



**Extended
Warranty**



**Moving:
Placement,
Removal,
Warehousing**



**Installation &
Mounting
at POS**





Manufacturing site and Head Office: Klimasan

export@klimasan.com.tr

Factory

Cumhuriyet Bulvarı No: 1 Organize Sanayi Bölgesi, 45030 / **Manisa-Turkey**

P: +90 236 236 22 33 • **F:** +90 236 233 97 18

Metalfrio Solutions Poland SP. z.o.o.

Piotrkówek Mały, Ożarów Mazowiecki commune, 37 Strzykulska Street.

Warszawa-Poland

Metalfrio West Africa Ltd.

TheView, 12th Floor, Wing A, Sapetro Towers 1 Adeola Odeku

St. Victoria Island, **Lagos Nigeria** • **P:** +234 1 277 1499 • **M:** +234 906 000 9172


S.Africa Contact Office

Johannesburg-S.Africa

Gulf Contact Office

German Arabian Business Center Office 1004-25 10th floor, Swiss Tower

Cluster Y, JLT P.O Box 309057, **Dubai UAE** • **P:** +971 50 560 05 23



Please follow us on **Linkedin** for corporate news and updates
www.linkedin.com/company/klimasan-a.s.

Klimasan holds the right to change technical data and design
for better performance. Kindly reconfirm final spec. through our web page
www.klimasan.com.tr or export@klimasan.com.tr e-mail.